

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virgiria 22313-1450 www.uspio.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/806,180	06/05/2001	Stephen William Colley	KPT 1090	5384
321 7590 01/12/2009 SENNIGER POWERS LLP 100 NORTH BROADWAY			EXAMINER	
			MANOHARAN, VIRGINIA	
17TH FLOOR ST LOUIS, MO 63102			ART UNIT	PAPER NUMBER
,			1797	
			NOTIFICATION DATE	DELIVERY MODE
			01/12/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@senniger.com



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ FILING DATE FIRST NAMED INVENTOR / ATTORNEY DOCKET NO. CONTROL NO. PATENT IN REEXAMINATION

09806180

COLLEY ET AL. KPT 1090

SENNIGER POWERS LLP 100 NORTH BROADWAY 17TH FLOOR ST LOUIS, MO 63102 EXAMINER
Virginia Manoharan

ART LINIT PAPER

1797 20090103

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This application is in condition for allowance except for the following formal matters:

- a). The claimed "utilizing pressure-swing distillation" recited in preamble of the claim may or may not even be given patentable weight and therefore should be recited in the body of claim 1.
- b). The term "providing" in (a) and (b) steps in claim 1 should be replaced with -operating—or the like for a positive recitation of the steps.
- Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).
- A shortened statutory period for reply to this action is set to expire TWO MONTHS from the mailing date of this letter.

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Virginia Manoharan whose telephone number is 571-272-1450.
- If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola, can be reached on 571-272-1450.
- The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR while PAIR or Public PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) ave questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Virginia Manoharan/ Primary Examiner, Art Unit 1797

PTO-90C (Rev.04-03)